



**Global Research &
Development Services**

CONFERENCE PROCEEDINGS

**12th International Conference on Researches in Science and Technology
(ICRST)
08-09 December 2016**

Conference Venue

Linton University College, Persiaran Utl, Kampung Gebok Batu 12, 71700
Mantin, Negeri Sembilan, Kuala Lumpur, Malaysia

Email: info@wasrti.org



KEYNOTE SPEAKER



Dr. Iman Farshchi
Head of School, School of Civil, Engineering, Linton University College,
Malaysia



KEYNOTE SPEAKER



Dr. Mohd Faisal Hushim

**Head of Automotive Research Group (ARG-UTHM)
Automotive Research Group (ARG-UTHM), Centre for Energy and
Industrial Environment Studies (CEIES), Faculty of Mechanical and
Manufacturing Engineering, Universiti Tun Hussein Onn Malaysia, 86400
Parit Raja, Batu Pahat, Johor, MALAYSIA**



KEYNOTE SPEAKER



Nader Ale Ebrahim

**Research Support Unit, Centre for Research Services, Institute of
Research Management and Monitoring (IPPP), University of
Malaya, Malaysia**



KEYNOTE SPEAKER



Dr. Sunny Joseph Kalayathankal

**H.O.D & Associate Professor, Department of Mathematics,
K. E. College, Mannanam, Kottayam-686561**



 <p>Balwant Singh Thakur GICICRST1613051</p>	<p>On the convergence of some iterative algorithms to approximate fixed points of nonlinear mappings</p> <p>Balwant Singh Thakur Pt. Ravishankar Shukla University, Raipur, 492010 India</p> <p>ABSTRACT</p> <p>In this paper we present a new iterative algorithm to approximate fixed point of nonexpansive and pseudocontractive mappings. We establish convergence results. We also discuss numerical examples to illustrate theoretical results. In addition, we compare the convergence of these iterations with existing iterations using the numerical computation.</p>
 <p>Hafiz Awofe Akinyele GICICRST1613052</p>	<p>Isolation of thermostable-cellulase producing bacteria from sawdust</p> <p>Hafiz Awofe Akinyele Department of Microbiology, Federal University Oye-Ekiti, Ekiti, Nigeria</p> <p>Abiodun A. Onilude Department of Microbiology, University of Ibadan, Ibadan, Nigeria</p> <p>ABSTRACT</p> <p>Twenty (20) cellulases producing bacteria were isolated from sawdust samples. They were identified as Actinomyces naeslundii (4), Pseudomonas aeruginosa (12), Thermoactinomyces vulgaris (1), Roseomonas sp. A1 (1), and Anoxybacillus rupiensis (2). Roseomonas sp. (A1), Anoxybacillus rupiensis E1 and Anoxybacillus rupiensis 5H were the best three thermostable cellulase producing bacteria. Their extracellular enzymes were stable at 600C to 650C for 1hour, and 500C to 550C for 2hour. These isolates exhibited significant differences in cellulase production in the presence of carbon and nitrogen sources at 0.5% to 2.5% (w/v) concentration. Anoxybacillus rupiensis (5H) in medium supplemented with 1% carboxymethylcellulose produced 9.22 U/mL of cellulase while Anoxybacillus rupiensis (E1) produced 3.0 U/mL of cellulase in medium supplemented 1% (w/v)tryptone. Optimum production of cellulase was at 50oC and pH of 7, while optimum activity of the enzyme was at 600C for A1 and pH of 9 for 5H</p> <p>Key words: Thermostable, Cellulase, Anoxybacillus rupiensis , Thermoactinomyces vulgaris,T,ryptone</p>

<p>Radhika chelamalla GICICRST161305</p>	<p>Molecular docking studies and ADMET predictions of pyrimidine coumarin scaffolds as potential IDO inhibitors</p> <p>Radhika Chelamalla Centre for Pharmaceutical Sciences, Jawaharlal Nehru Technological University, Kukatpally, Hyderabad-500085, TS, India cradhika8@gmail.com</p> <p>Ajitha Makula Centre for Pharmaceutical Sciences, Jawaharlal Nehru Technological University, Kukatpally, Hyderabad-500085, TS, India</p> <p>ABSTRACT</p> <p>Indoleamine 2,3-dioxygenase (IDO) is emerging as an important new therapeutic drug target for the treatment of cancer. IDO catalyzes the rate-limiting step of tryptophan degradation through kynurenine pathway. Reduction in local tryptophan concentration and the production of immunomodulatory tryptophan metabolites contribute to the immunosuppressive effects of IDO. Presence of IDO on dendritic cells in tumor-draining lymph nodes leading to the activation of T cells results in formation of immunosuppressive microenvironment for the survival of tumor cells, shows the importance of IDO as a novel anticancer immunotherapy drug target. Pyrimidine has the unique ability to act through many different mechanisms and its multiple biological activities make it an ideal therapeutic agent in treating cancer. In this effort directed towards the discovery of novel, potent IDO inhibitors for the treatment of cancer. In the present study a library of pyrimidine derivatives has been designed and evaluated for their anti-cancer activity targeting IDO using various computational approaches. Twenty new pyrimidine series of compounds were designed and docking studies were performed. All of them have found to be successfully docked inside the active binding domain of IDO with a binding energy in a range of -4.59 to -9.53 Kcal/mol with predicted IC₅₀ value range of 4.72 micromolar to 456.19 nanomolar. On the other hand, calculated 2DQSAR molecular descriptor properties of the compounds showed promising ADME parameters and found to be in compliance with Lipinski's rule of five. Among all the twenty compounds tested, compound 14 (N'-(6-chloro-2-oxo-chromene-3-carbonyl)-4-(4-methoxyphenyl)-6-methyl-2-thioxo-3,4-dihydro-1H-pyrimidine-5-carbohydrazide) was found to be the best lead like molecule with a binding energy of -9.53 kcal/mol. Conclusively, newly designed compound 14 of the present study have shown promising anti-cancer potential worth considering for further evaluations.</p> <p>Keywords: IDO domain, pyrimidine, coumarin, docking, ADME, QSAR, anti-cancer</p>
	<p>Design, Synthesis and In silico studies of new 5-substituted-2-(2-(5-aryl-1H-1,2,4-triazole-3-ylthio)acetyl) hydrazine carbothioamide/ carboxamides for anticonvulsant activity</p> <p>Radhika Chelamalla Centre for Pharmaceutical Sciences, Jawaharlal Nehru Technological University, Kukatpally, Hyderabad-500085, Telangana, India</p>




<p>Radhika chelamalla GICICRST1613054</p>	<p>cradhika8@gmail.com</p> <p>Ajitha Makula1 Centre for Pharmaceutical Sciences, Jawaharlal Nehru Technological University, Kukatpally, Hyderabad-500085, Telangana, India</p> <p>Venkatesham Akena University College of Pharmaceutical Sciences, Kakatiya University, Warangal, Telangana, India</p> <p>Sarangapani Manda University College of Pharmaceutical Sciences, Kakatiya University, Warangal, Telangana, India</p> <p>ABSTRACT</p> <p>Purpose: To synthesize series of 5-substituted-2-(2-(5-aryl-1H-1,2,4-triazole-3-ylthio)acetyl) hydrazine carbothioamide/ carboxamides and evaluate their anticonvulsant activity and in silico properties.</p> <p>Methods: Derivatives of 5-substituted-2-(2-(5-phenyl-1H-1,2,4-triazol-3-ylthio)acetyl)hydrazine carboxamides/carbothioamides were obtained by condensation of Ethyl-2-(5-aryl-1H-1,2,4-triazol-3-ylthio)acetates with thiosemicarbazide or semicarbazide. The synthesized compounds were characterized by Fourier transform infrared spectroscopy (FTIR), nuclear magnetic resonance spectroscopy (1H NMR) and mass spectrometry (MS) while their anticonvulsant activity was screened against pentylenetetrazole-induced seizure (PTZ) against phenytoin and diazepam as reference standards. Molecular docking (in silico) studies were performed using 4-aminobutyrateaminotransferase in order to predict possible protein-ligand interactions</p> <p>Results: Among the target compound 3f exhibited lower activity with 50% protection. The compounds 3e and 3h showed good to moderate levels of anticonvulsant activity with 83.3% protection at 100 mg/kg. The compounds 3g and 3i afforded most significant anticonvulsant activity with 100% protection at a dose of 30 mg/kg. In silico results also revealed maximum binding affinity to GABA-AT protein which was higher than other compounds.</p> <p>Conclusion: The synthesized compounds showed potent anticonvulsant activity. Molecular docking results should give an insight into how further modification of lead compound can be carried out for higher inhibitory activity.</p> <p>Keywords: Anticonvulsant, 1,2,4-triazole, carbothioamides, pentylenetetrazole, In silico studies, Molecular docking.</p>
<p>Dr. Vanitha Varadharaj GICICRST1613055</p>	<p>GSK-3 beta protein inhibition by selected phytocompounds insilico</p> <p>Vanitha Varadharaj Department of Biochemistry, School of Life Sciences, VELS University, Pallavaram Chennai - 600 117. Tamilnadu, India. vanitha.sls@velsuniv.ac.in</p>



	<p style="text-align: center;">ABSTRACT</p> <p>Bioactive phytochemicals are a rich source of chemo preventive substance. The selected bioactive phytochemicals like Oleanolic acid, Ecdysterone, Betaine, Stigmasterol Acetate, Cinnamic acid were screened for the inhibition of glycogen synthase kinase-3β (GSK-3β) protein, a wound-healing biomarker, by molecular docking and dynamic studies. 2-Chloro-5-[4-(3-Chloro-Phenyl)-2, 5-Dioxo-2,5-Dihydro-1h-Pyrrol-3-ylamino]-benzoic acid was used as an inhibitor for GSK-3β with minimum binding energy(-31.5 Kcal/mole). The docking analysis ranked the selected phytochemicals that have high theoretical scores to bind to the proteins. The binding mode of the phytochemicals that bound to all the target proteins with high affinity was studied. The simulation demonstrated that the protein-ligand complex stabilized by multiple hydrogen bonds was preferentially formed at the catalytic site.</p> <p>The results highlighted in this study reveals that among the selected lead phytochemicals that docked into the active site of GSK 3 Beta, Ecdysterone showed acceptable 6 hydrogen bond interactions with residues LYS85, TYR134, ARG141, GLN185, ASP200, PRO136 when compared to the reference compound with 5 hydrogen bond interactions. Thus based on the docking score Ecdysterone could be considered as a novel compounds that can be used for experimental studies for the inhibition of GSK-3β Kinase. These results can be helpful for further design of novel GSK-3β inhibitors.</p> <p>Keywords: Phytochemicals, Molecular Docking, Simulation, Receptor, Ligand, Inhibition.</p>
<p>Widaningsih GICICRST1613063</p>	<p style="text-align: center;">Creative Economic Growth on The Thematic Tourism Development in Indonesia</p> <p style="text-align: center;">Widaningsih</p> <p style="text-align: center;">Information Technology Department, State Polytechnic of Malang, Indonesia, widaningsihmh@gmail.com</p> <p style="text-align: center;">Abstract</p> <p>Creative economy has developed in various countries and are showing significant positive results, which include employment, increase national income and regions, and imaging regions at the international level. Imaging an area emerging when a region became famous with creative products it produces. In a broader context, the imaging area using creative economy also connected with various sectors, including the tourism sector. All activities related to tourism as well as multidimensional and multidisciplinary emerging as a manifestation of the need for everyone and the country as well as the interaction between tourists, central government, local government, and employers. The development of tourism is based on the principle of law which is realized through the implementation of tourism development plans with due regard to the diversity, uniqueness and distinctiveness of culture and nature, and</p>



	<p>the human need for travel.</p> <p>Keywords: Tourism, Creative economy, Thematic tourism, Thematic village, Culture</p>
 <p>Fatma Mustafa M. Omimana GICICRST1613056</p>	<p>Fuzzy complex valued metric spaces</p> <p>Fatma Mustafa Mofthah Omiman, Department of Mathematics, Faculty of Sciences-Al-Khums, Al-Margib University, Al-Khums, Libya. omiman_f@yahoo.com</p> <p>Soad Muftah Elmahdi Abdurahman. Department of Mathematics, Faculty of Sciences-Al-Khums, Al-Margib University, Al-Khums, Libya. so81ad@yahoo.com</p> <p>ABSTRACT</p> <p>In this paper, we introduce the concept of fuzzy complex valued metric space by using the notion of complex fuzzy set, the topology induced by this space and some related results of them. In order to illustrate our results we equip the paper with some</p> <p>Keywords: Complex valued metric space, fuzzy metric space, complex fuzzy set, fuzzy complex valued metric space.</p>
<p>Asare- Bediako Ankrah GICICRST1613057</p>	<p>Biochemical responses of brown layer chicken fed with cocoa pod husk ash liquid extract (alkali) treated sorghum spent grain inclusion diets</p> <p>Asare-Bediako Ankarah Senior Lecturer, Valley View University, Techiman, Ghana, West Africa. TM 183. asare.bediako@vvu.edu.gh</p> <p>ABSTRACT</p> <p>The effect of cocoa pod husk extract (alkali) concentration and treatment on the chemical composition of dried sorghum spent grain (pito mash) was studied. This was followed by the incorporation of the extract-treated pito mash in chicken grower and layer diets to assess its effects on the blood biochemical indices of the chicken. Four different solutions of cocoa pod husk with concentrations of 62.5g/0.5L, 125g/1L, 187.5g/1.5L and 250 g/2.0 L were prepared. Each solution was divided into three equal parts, and used to treat 50 g of milled pito mash. The alkali-treated pito mash were allowed to digest for 24, 48 and 72 hours. The 48-hour digestion duration, was found to be the most effective in reducing the crude fiber content of the pito mash from 10.22 to 6.74 %.</p> <p>The addition of 1.5 L of the cocoa pod extract to 50 g of the dried pito mash, yielded the best mixing rate and was employed in a 48-hour treatment of the pito mash used in the feeding trial. The treated pito mash was included in the diets at 0, 5, 10 and 15 % levels. Each diet was fed to 4 treatment groups of 44, 8-week old Lohmann brown layer chickens, weighing on the average between 340 and 341g per group. A complete</p>

	<p>randomized design (CRD) was applied to the treatments. Feed and water were provided ad libitum over the 11- month experimental period. Results showed that blood biochemical indices like triglyceride, total protein and albumin showed significant ($P < 0.05$) improvements whilst cholesterol, high density lipoprotein and low level lipoprotein and globulin recorded no significant differences with increasing levels of treated pito mash inclusion. Also, the albumin/globulin ratio showed a decline as the alkali-treated pito mash inclusion levels increased from 0 – 15 %.</p>
<p>Aws Alaa GICICRST1613058</p>	<p>A Novel Methodology for the Evaluation and Benchmarking of Skin Detectors using Multi-criteria Decision-making Techniques</p> <p>Qahtan M.Yas, A.A.Zadain Department of Computing, Faculty of Arts, Computing and Creative Industry, Universiti Pendidikan Sultan Idris, Tanjong Malim, Perak, Malaysia aws.alaa@gmail.com</p> <p>B.B.Zaidan Department of Computing, Faculty of Arts, Computing and Creative Industry, Universiti Pendidikan Sultan Idris, Tanjong Malim, Perak, Malaysia</p> <p>ABSTRACT</p> <p>Evaluation and benchmarking processes considered difficult tasks of the skin detection approach due to of multiple evaluation attributes and conflicting criteria. Whereas several evaluating and benchmarking techniques have been proposed, these approaches have many limitations. Selection several attributes for reliable skin detection based on multi-attribute benchmarking approaches, particularly are limited. Nevertheless, the aims of this study is developing a new framework for evaluating and benchmarking skin detection on the basis of artificial intelligent models using multi-criteria analysis. In this direction, we have proposed applying two experiments. first experiment depended on two stages: (1) Development of a skin detector using multi-agent learning based on different color spaces to create a dataset of various color space samples for benchmarking and (2) Evaluation and testing the developed skin detector according to multi- evaluation criteria (i.e. reliability, time complexity, and error rate within dataset) to create a decision matrix. While, second experiment applies different decision-making techniques (AHP/SAW, AHP/MEW, AHP/HAW, AHP/TOPSIS, AHP/WSM, and AHP/WPM) to benchmark the results of the first experiment (i.e. the developed skin detector). Thus, we will use the mean, standard deviation, and paired sample t-test to measure the correlations among the different techniques based on ranking results. Keywords: evaluation and benchmarking; multi-criteria analysis; Artificial intelligence; skin detector; multi-criteria decision-making techniques.</p>
<p>Emad Khudaish GICICRST1613059</p>	<p>Electrochemical oxidation of chlorpheniramine at polytyramine film doped with ruthenium (II) complex: Measurement, kinetic and thermodynamic studies</p> <p>Emad A. Khudaish Sultan Qaboos University, College of Science, Department of Chemistry, PO Box 36, PC 123, Muscat, Oman.</p>



	<p style="text-align: center;">ABSTRACT</p> <p>A solid-state sensor based on polytyramine film deposited at glassy carbon electrode doped with tris(2,2'-bipyridyl)Ru(II) complex (Ru/Pty/GCE) was constructed electrochemically. A redox property represented by [Ru(bpy)₃]^{3+/2+} couple immobilized at the Pty moiety was characterized using typical voltammetric techniques. The XPS data and AFM images confirm the grafting of Ru species on the top of Pty while the electrochemical impedance spectroscopy (EIS) data supports the immobilization of both surface modifiers onto the GCE. The constructed sensor exhibits a substantial reactivity, stability and high sensitivity to chlorpheniramine maleate (CPM) oxidation. The detection limit (S/N = 3) was brought down to 338 nM using differential pulse voltammetry method. Thermodynamic and kinetic parameters were evaluated using hydrodynamic method. The apparent diffusion coefficient and the heterogeneous electron transfer rate constant for the CPM oxidation were $2.67 \times 10^{-5} \text{ cm}^2 \text{ s}^{-1}$ and $3.21 \times 10^{-3} \text{ cm}^2 \text{ s}^{-1}$, respectively. Interference studies and real sample analysis were conducted with excellent performance and satisfactory results.</p>
<p>Agarwal A.L GICICRST1613060</p>	<p style="text-align: center;">A Probability Analysis of Construction Project Schedule using Risk Management Tool</p> <p style="text-align: center;">Agarwal A.L. Professor, NICMAR Pune 411045 (INDIA) e-mail id.: anilagarwal@nicmar.ac.in</p> <p style="text-align: center;">Mahajan D.A. Associate Professor, NICMAR Pune 411045 (INDIA) e-mail id.: dmahajan@nicmar.ac.in</p> <p style="text-align: center;">ABSTRACT</p> <p>Construction industry tumbled along with other industry/sectors during recent economic crash. Construction business could not regain thereafter and still passing through slowdown phase, resulting in time and cost overrun of many real estate as well as infrastructure projects. There are many theories, tools, techniques with software packages available in the market to analyse construction schedule. This study focuses on the construction project schedule and uncertainties associated with construction activities. The infrastructure construction project has been considered for the analysis of uncertainty on project activities affecting project duration and analysis is done using @RISK software. Different simulation results arising from three probability distribution functions are compiled. This study helps construction project managers to plan and prepare more realistic schedules for construction projects and document probable project completion date in the contract to avoid compensations or claims arising out of missing the planned schedule.</p> <p>Keywords: - Construction Project, Distributions Project Schedule, Uncertainty</p>
<p>Yan Watequlis Syaifudin GICICRST1613061</p>	<p style="text-align: center;">Twitter Data Mining For Sentiment Analysis On Peoples Feedback Against Government Public Policy</p> <p style="text-align: center;">Yan Watequlis Syaifudin Information Technology Department, State Polytechnic of Malang, Indonesia,</p>



yan_ws@yahoo.com

Dwi Puspitasari
Information Technology Department, State Polytechnic of Malang, Indonesia,
dwi_sti@yahoo.com

ABSTRACT

Government policies often get positive or negative response from the public. The response from the community feedback can be conveyed through print and electronic media. With the rise of social media today, people have a tendency to convey such feedback through social media such as Facebook, Twitter, Instagram, Path and other social media. Thus, to determine the public response to this policy that has been implemented, the government needs to know how your feedback from people who come from social media. But because of the feedback, it is difficult to detect how many positive or negative response from the public. Therefore, in this study will develop a system to obtain data in the form of feedback coming from one of the social media that is often used by the public, namely Twitter. Tweet or post on the community will be collected based on the time and place specified. Having obtained a collection tweet, would do next text preprocessing stage. Tweet text already passed the stage of preprocessing, for further processing in sentiment analysis, to determine the positive and negative responses from the public against government policies that have been applied.

Keywords

Text mining, Text preprocessing, Twitter, Nazief and Adriani algorithm, Public Policy



Guo Rui
GICICRST1613062

FORECASTING AIR PASSENGER VOLUME IN SINGAPORE: DETERMINING THE EXPLANATORY VARIABLES FOR ECONOMETRIC MODELS
R.GUO

School of Mechanical and Aerospace Engineering,
Nanyang Technological University, 50 Nanyang Ave Singapore 639798

Z.W.ZHONG

School of Mechanical and Aerospace Engineering,
Nanyang Technological University, 50 Nanyang Ave Singapore 639798

ABSTRACT

Nowadays aviation industry has become an important portion of Singapore economies progressively, it is essential to provide accurate prediction for aviation development. However, due to instability of economies, it is advisable to capture the impact of economy into forecasting. This paper explores several explanatory variables, such as Singapore GDP, China GDP, exchange rate and tourist numbers, to build econometric models to predict the air passenger movements and analyzes and compares the relative results from corresponding models. Before applying for model simulation, correlation among variables were checked. Various combination of the variables were implemented to establish the models. Five econometric models were constructed for 18 years prediction from 1998 to 2015 in the report and the



	<p>performance of these models were measured using MAPE, RMSE and degree of divergence. By comparing the 5 models, the variables effectiveness is investigated. Moreover, the impact of the variables was also scrutinized. Finally, appropriate models for Singapore situation are to be recommended. Afterwards, forecasting for the next 18 years till 2033 are conducted and analyzed to have a better idea of the future development.</p> <p>Keywords: Air passenger volume; Econometric models; Explanatory variables; Long-term forecasting; GDP</p>
 <p>Muhammad Raihan Firzatullah Sudrajat GICICRST1613064</p>	<p>EFFECT OF CORRELATION BETWEEN ROCK STRUCTURE WITH WATER DISCHARGE BY RAINFALL TO LEVEL OF LANDSLIDE IN THE CITARUM WATERSHED 20-0 KILOMETER, WEST JAVA, INDONESIA</p> <p>Muhammad Raihan Firzatullah Sudrajat Faculty of Geological Engineering, University of Padjadjaran raihan_1997@yahoo.co.id</p> <p>Muhammad Jihad Abdurrohman Faculty of Geological Engineering, University of Padjadjaran jihadabdurahman@yahoo.com</p> <p>ABSTRACT</p> <p>Citarum river is one of the longest river in Indonesia, with coordinate 7°4'31"S 107°44'53"E. Citarum river has an upstream which located in the region of Neglawangi, Kertasari, and has a downstream in the northern coast of Bekasi. A lot of people domiciled on the watershed of Citarum. Natural disaster such as landslide has become a common thing for people who live around the watershed of Citarum. Study of rock structures located in Citarum river may explain why landslides often occur in areas of Citarum river. The rock sample was conducted at three different stations with each station has a different rock structures. High rainfall causes water flow in the river rises. With the high discharge of water by high rainfall, certain rock structures that have a low resistance to water will be easily eroded and causes the soil above the rock structure vulnerable to landslides.</p> <p>Keywords : Citarum, Landslide, Rock Structure, Rainfall, Water Discharge</p>
<p>Christianne Lynnette G. Cabanban GICICRST1613065</p>	<p>ASSESSING NEEDS WITH SENTIMENT ANALYSIS USING MOBILE-BASED REAL-TIME DECISION SUPPORT SYSTEM (DSS) FOR EVACUATION CENTERS</p> <p>Christianne Lynnette G. Cabanban, University of the Cordilleras, Baguio City, Philippines clcabanban@ched.gov.ph</p> <p>Thelma D. Palaoag University of the Cordilleras, Baguio City, Philippines TPalaoag@gmail.com</p> <p>Alvin R. Malicdem University of the Cordilleras, Baguio City, Philippines</p>

alvin.malicedem@dmmmsu-mluc.edu.ph

ABSTRACT

Emergency situations occur unpredictably and it cause the policy-makers and emergency response team to shift their focus and attention immediately to deal with the situation. When disasters become large scale, all the limitations resulting from a lack of integration and collaboration among all the involved organizations begin to be exposed and further compound the negative consequences of the event. As a result, the challenges for a group Decision Support Systems (DSS) in emergency situations need tremendous attention, hence, slow, ineffective strategies for gathering, processing, and analyzing data can also play a role for inefficient emergency response. Information technology, specifically decision support systems, can be used to reduce the time needed to make crucial decisions regarding task assignment and resource allocation. In this paper, development and utilization of a mobile-based tool for facilitating disaster management that includes real-time information about available and required resources to successfully respond to an emergency is proposed. For assessing the needs and sentiments of the evacuees, a corpora will be designed in which algorithm is applied in classifying the needs and sentiments for the mobile app. These different decision results are aggregated into an infographics from the extracted data for illustration and verification purposes to support the final decision-making.

Keywords: NLP, Sentiment Analysis, Decision Support System, Disaster Management System



**MD Mustafizur
Rahman
YRSICRST1613051**

**PROPOSE A NEW MODEL FOR EARLY DETECTION OF BREAST CANCER
USING DATA MINING**

MD Mustafizur Rahman


Supervisor: Professor Feng Wang

**School of Biological Science and Medical Engineering
Southeast University, Nanjing, China.**

ABSTRACT

The Idea of autonomous agent in medical area is not new. Besides this, the concept of human-agent teamwork has made it more effective. This concept mostly focused on adjustability and portability of autonomous-agents rules and behaviors. But the questions arise about the primary state of autonomous-agent for setting up its primary rules. In this project, we are mainly focused on setting up the initial rules and circumstance of autonomous-agent. We try to find the most effective way to manage the initial rules of autonomous-agent. Here, we work for the agent that can assist a solution for proper treatment. Our idea here is to use the old huge collection of data from hospital and to mine these data to find something sensible. Our purpose of finding sensible data to use them as initial behaviors of the agent. After the creation of autonomous-agent, we adapted the methodology of human-agent teamwork so that the performance of the agent can be increased based on the cooperation of the human operator. In this project, we have proposed an algorithm to manage the priority of the rules of the agent.



<p>Datti, Y. GICECG1613051</p>	<p>BIOASSAY GUIDED CHROMATOGRAPHIC ISOLATION OF LACTATION INDUCING AGENT FROM HIPPOCRATEA OBTUSIFOLIA</p> <p>Datti, Y., Department of Chemistry, Northwest University, Kano. whydee@yahoo.co.uk</p> <p>Musa I., Department of Chemistry, Northwest University, Kano</p> <p>Mustapha, A. Department of Chemistry, Northwest University, Kano.</p> <p>ABSTRACT</p> <p>The powdered leaves of Hippocratea obtusifolia was percolated with ethanol and then sequentially extracted with petroleum ether, chloroform, ethyl acetate and methanol. The extracts were respectively labeled HO1, HO2, HO3, and HO4, with the ethanolic extract labeled HO. The extracts were subjected to bioactivity against lactation inducement, and the chloroform extract labeled HO2 was found to be the most active. The HO2 extract was then subjected to column and thin layer chromatography with similar fractions pooled together. The pooled fractions were then subjected to bioactivity testing against lactation inducement, and the fraction labeled HO2-13 was found to be the most active, this was subsequently subjected to column and thin layer chromatography with similar fractions pooled together. The pooled fractions were again subjected to bioactivity testing against lactation inducement, and the fraction labeled HO2-13-111 was found to be the most active. The fraction HO2-13-111 was subjected spectroscopic analysis, using Infrared, Mass spectroscopy, and both 1H and 13C NMR data obtained. The structure of the compound present in fraction HO2-13-111 was then elucidated based on the obtained data.</p> <p>Keywords: Lactation, thin-layer, column chromatography, force-feeding, progesterone.</p>
 <p>O.O.Avinc GICECG1613052</p>	<p>ECOLOGICAL AND NATURAL SOLAR DYEING OF ELASTIC POLYESTERS</p> <p>F.F. YILDIRIM Textile Engineering Department, Pamukkale University, 20070, Denizli, TURKEY</p> <p>O.O.AVINC Textile Engineering Department, Pamukkale University, 20070, Denizli, TURKEY oavinc@pau.edu.tr</p> <p>A. YAVAŞ Textile Engineering Department, Pamukkale University, 20070, Denizli, TURKEY</p> <p>ABSTRACT</p> <p>Fossil fuels are the best known energy sources for generating power. However, these fuels are not clean enough for our world and damage the environment adversely. Due to these negative effects, clean energy sources become more and more</p>



important. Sun and its solar energy is a very good clean energy candidate for more sustainable world. However, in the textile industry, solar energy generally only is used for photo-degradation of textile effluents and/or used to heat water for textile finishing applications. There are only very limited approaches, only in some niche examples, about solar dyeing for textile fiber coloration. Moreover, there are no industrial approaches for this type of textile dyeing. In this study, Poly(butylene terephthalat) (PBT) and Poly (trimethylene terephthalate) (PTT) fibers, well known as elastic polyesters, were dyed with the help of the energy of sun via solar dyeing process with natural red onion peel, the waste materials of food industry, extract. The colorimetric and color fastness properties (such as rub, sea water, water and wash fastness) of solar-dyed samples were examined. Red onion peel dye led to beige and brownish color shades on PTT and PBT fiber fabrics. Overall, the dyed PTT and PBT samples exhibited moderate to good wash, rub, water and sea water fastness performance. The use of solar energy seems to be promising for the future of textile dyeing.

Keywords: Poly (butylene terephthalate) (PBT), Poly (trimethylene terephthalate) (PTT), natural textile dyeing, solar dyeing, red onion peel extract

Reviving Bhamala as a tourist site and develop a floating market in Khanpur Dam



Maira Khan
GICECG1613053

Maira Khan

Department of Architecture and Design Comsats IIT , Lahore, Pakistan

ABSTRACT

The word humanitarian can be defined as “having concern for or helping to improve the welfare and happiness of people” (www.dictionary.com). So humanitarian architecture basically means architecture designed for those in need. It is “seeking architectural solutions to humanitarian crises and bringing professional design services to communities in need.” (www.nationmultimedia.com)

I anticipate that my project , Reviving Bhamala as a tourist site and develop a floating market in Khanpur Dam which will be revenue generation for local craftsmen of Pakistan and promote local arts and craft of this region will bring Architectural Solution to Community of Haripur in crises.

The research will be originated from the indigenous context and environment of Pakistan. Vernacular Architecture of Pakistan with indigenous materials will be used in the development of the project.


Emphasis shall be placed on adaptation and implementation of research-derived knowledge and techniques to a practical humanitarian architecture project in Bhamala.

Bhamala Stupa is a ruined Buddhist stupa and National Heritage Site near Haripur, Pakistan. The Stupa is different from other stupas found in Gandhara. The ruins date back to the 4th century CE. The ruins are situated very near to the Khanpur Dam. The stupa is cross shaped and looks like an Aztec Pyramid. Bhamala stupa is an archaeological site and is also known as Bhamala Buddhist Complex.

The project will also offer a huge, lively, full of boats selling local handicrafts , food and fruits colourful floating market in Khanpur Dam on the same lines as the floating markets of Bangkok.

The size of this will be manageable and the lovely location and interesting choice of food to sample and a lovely location will attract local and international tourists. The market will be very attractive, while walking around in the shade of trees will be a



	<p>wonderful experience.</p> <p>All strategic actions listed above will provide a research model in developing and reviving Bhamala as a tourist Site and developing Floating market near Khanpur Dam.</p> <p>The Agenda for Revival of Bhamala and floating market for Khanpur Dam will focus on ending poverty in all forms, achieve food security and improved nutrition and promote sustainable agriculture, ensure healthy lives and promote well-being for all at all ages, achieve gender equality and empower all women and girls by promoting their handicraft skills.</p> <p>Ensure availability and sustainable management of water and sanitation for all, ensure access to affordable, reliable, sustainable and clean energy for all, promote sustained, inclusive and sustainable economic growth, full and productive employment and decent work for all.</p> <p>Build resilient infrastructure, promote inclusive and sustainable industrialization and foster innovation, Reduce inequality , make settlements inclusive, safe, resilient and sustainable, Take urgent action to combat climate change and its impacts. Protect, restore and promote sustainable use of terrestrial ecosystems, sustainably manage forests, combat desertification, and halt and reverse land degradation and halt biodiversity loss.</p> <p>I anticipate that this can provide immaculate opportunities for the revival of Bhamala as a tourist attraction and work towards improving the living conditions of the residents of Haripur by promoting local crafts, vernacular architecture and indigenous materials of that region.. Sustainable proposal for Bhamala and Khanpur Dam will be energy efficient on the same lines as humanitarian projects of Thai Experts. The design solution will aim to provide building improvement and infrastructure.</p>
 <p>Abbas Rezaee GICECG1613054</p>	<p>Pyrene solubilization from contaminated soil using mixed surfactants</p> <p>Abbas Rezaee, Department of Environmental Health, Faculty of Medical Sciences, Tarbiat Modares University, Tehran, Iran</p> <p>Seyedenayat Hashemi Department of Environmental Health, Faculty of Medical Sciences, Boushehr university of Medical Sciences, Bushehr, Iran</p> <p>ABSTRACT</p> <p>The purpose of this study was to statistically model and optimize of mixed surfactants effects on the solubilization rate of pyrene from contaminated soil. The solubilization was evaluated by pyrene desorption efficiency as the response. The effect of mixed surfactants, triton X100 (TX100) and Sodium dodecyl sulfate (SDS) on the pyrene solubilization from soil was determined and the process was then optimized by means of Response surface methodology (RSM). Statistical model was presented based on the variables to optimize the pyrene solubilization. Twenty one experiments designed by Central composite design (CCD) were carried out and the response was modeled using a polynomial equation as function of the variables. The optimum values of the surfactants were found to be SDS: TX100 mixed ratio with 1:1. A desirability value of 0.903 was obtained, showing that the model is significant and give the desired conditions. Validation of model predictions for solubilization</p>



	<p>reveals the efficacy of the model for pyrene solubilization from soil. The level of applied surfactants for pyrene solubilization from soils and sediments can be improved by decreasing the surfactant level and thus the remediation cost. Based on the obtained results, mixed surfactant can be used to solubilize pyrene from clay-silty soils.</p> <p>Keywords: Contaminated soil, Optimization, Pyrene, Solubilization</p>
 <p>M Octaviano Pratama GICICRST1613069</p>	<p>The Role of Geographic Information System in E-Government</p> <p>M Octaviano Pratama Faculty of Computer Science, Universitas Indonesia , Jakarta, Indonesia</p> <p>ABSTRACT</p> <p>The emergence of Geographic Information System (GIS) has played an important role in government initiative. E-Government, online application organized by government, usually equipped by GIS system like “GIS-based DSS in e-livestock Indonesia” that proposed in empirical research. GIS can capture, store, manipulate, analyze and present spatial data that very useful involved in government area. GIS has been used in various fields like agriculture, transportation through waste management. In this paper, we describe the state of the art GIS in E-Government. GIS analytics and future business model are discussed in this paper. Several E-Government applications that used GIS technology is also discussed. Meta-Ethnography is used for synthesizing study. This study contributes as a benchmark for researcher and government to develop GIS in E-Government context.</p> <p>Keyword: Geographic Information System, E-Government, Analytics, GIS Business Model</p>
 <p>Lim Lai Peng GICICRST1613069</p>	<p>Preparation of Natural Rubber Graphene Composite via In-situ Reduction of Graphene Oxide</p> <p>Lai Peng Lim Nanotechnology and Catalysis Research Centre (NANOCAT), University of Malaya, Kuala Lumpur 50603, Malaysia. alplim@siswamail.um.edu.my</p> <p>Joon Ching Juan, Nanotechnology and Catalysis Research Centre (NANOCAT), University of Malaya, Kuala Lumpur 50603, Malaysia jcjuan@um.edu.my</p> <p>Nay Ming Huang, Physics Department, Faculty of Science, University of Malaya, Kuala Lumpur. huangnayming@um.edu.my</p> <p>Fook Peng Leng, Research and Development Department, Karex Industries Sdn. Bhd., Pontian, 82000 Johor, Malaysia fpleng@karex.com.my</p> <p>Yi Yee Loh Research and Development Department, Karex Industries Sdn. Bhd., Pontian, 82000</p>



Johor, Malaysia
vyloh@karex.com.my

ABSTRACT

Numbers of studies have been reported on the production of chemically reduced graphene oxide (rGO) for dry rubber processing. However, the used of these reducing agents could be deleterious to the natural rubber latex properties. In this study, rGO was produced in a single step without the use of strong reducing agent and incorporation of the rGO was accomplished using simple latex mixing method under room temperature. The resultant composite showed good colloidal stability and rubber films produced from the composite exhibited good mechanical properties with improved ageing resistance. The composite with 0.1phr rGO showed a 14% and 4% improvement in stress at 700% elongation as compared to unfilled rubber film and rubber film incorporated with the same amount of GO respectively. Rubber films produced from the resultant composite, unfilled vulcanized latex and latex post added with 0.1phr of rGO showed an 80%, 67% and 75% retention of stress at 700% elongation respectively after accelerated ageing at 100oC for 22hours. Morphology of the rubber films were studied using network visualization-transmission electron microscopy. The rubber films were also analyzed using differential scanning calorimeter (DSC), raman spectroscopy and XRD. Findings from these analyses suggested that rGO is bonded to the rubber particles thus enhanced the mechanical properties of the composite.

Keywords: natural rubber latex, reduced graphene oxide, composites, mechanical properties, network visualization



A. Djeghdjogh
GICECG1613057

The Role Of Environmental Governance In The Sustainable Development Of North Africa

A. Djeghdjogh
University Batna
Djeghdjogh2005@yahoo.fr

H. Smadi
University Batna, Algeria

ABSTRACT

This article seeks to analyse governance decision-making in the environmental context through an understanding and interpretation of the relationship between good environmental governance and sustainable development in North Africa "Algeria". It critically assesses recent case law in an attempt to understand how evaluate authorities' environmental decisions. In reaching its objectives, this article considers also how environmental decisions are made in the first place and asks the question: what are the value choices underlying government's decisions and what role does sustainable development play in informing decisions for environmental governance.

Keywords: Environmental governance, Sustainable development, Environmental decision-making, good governance



LISTENERS

<p>Ajani Saheed Adewale Consultant, M-Plus Consults Ltd, Lagos Nigeria GICECG1613055</p>
<p>Anifowose Olumide Alaba Manager, Sawaj Global Services, Lagos Nigeria GICECG1613056</p>

List of Conferences

<http://www.wasrti.org/conference.php>

» 8th International Conference on Envirotech, Cleantech and Greentech (ECG),

20-21 Dec 2016, Dubai

» 8th International Conference on Researches in Science and Technology

(ICRST), 20-21 Dec 2016, Dubai

» 9th International Conference on Envirotech, Cleantech and Greentech (ECG),

29-30 Dec 2016, Bangkok, Thailand

» 9th International Conference on Researches in Science and Technology

(ICRST), 29-30 Dec 2016, Bangkok, Thailand

» 10th International Conference on Envirotech, Cleantech and Greentech (ECG),

21-22 Feb 2017, Dubai



- » 10th International Conference on Researches in Science and Technology (ICRST), 21-22 Feb 2017, Dubai
- » 12th International Conference on Envirotech, Cleantech and Greentech (ECG), 08-09 Dec 2016, Kuala Lumpur
- » 12th International Conference on Researches in Science and Technology (ICRST), 08-09 Dec 2016, Kuala Lumpur
- » 13th International Conference on Envirotech, Cleantech and Greentech (ECG), 25-26 May 2017, Lisbon
- » 13th International Conference on Researches in Science and Technology (ICRST), 25-26 May 2017, Lisbon
- » 14th International Conference on Envirotech, Cleantech and Greentech (ECG), 16-17 June 2017, Singapore
- » 14th International Conference on Researches in Science and Technology (ICRST), 16-17 June 2017, Singapore
- » 15th International Conference on Envirotech, Cleantech and Greentech (ECG), 23-24 June 2017, Kuala Lumpur
- » 15th International Conference on Researches in Science and Technology (ICRST), 23-24 June 2017, Kuala Lumpur



- » **16th International Conference on Envirotech, Cleantech&Greentech (ECG), 14-15 July 2017, Bali, Indonesia**
- » **16th International Conference on Researches in Science & Technology (ICRST), 14-15 July 2017, Bali, Indonesia**
- » **17th International Conference on Envirotech, Cleantech&Greentech (ECG), 21-22 July 2017, Bangkok, Thailand**
- » **17th International Conference on Researches in Science & Technology (ICRST), 21-22 July 2017, Bangkok, Thailand**
- » **18th International Conference on Envirotech, Cleantech&Greentech (ECG), 09-10 June 2017, Rome, Italy**
- » **18th International Conference on Researches in Science & Technology (ICRST), 09-10 June 2017, Rome, Italy**

